

EMTEK®

ASSA ABLOY

2016

Trim for Swinging Patio Doors

MULTI POINT LOCK TRIM

PRICE BOOK



ASSA ABLOY, the global leader
in door opening solutions

FINISH OPTIONS



Polished Brass
- Lifetime (US3)



French Antique
(US7)




Oil Rubbed Bronze
(US10B)




Satin Nickel
(US15)



Pewter
(US15A)



Flat Black
(US19)



Polished Chrome
(US26)



Brushed Stainless
Steel (SS)



Flat Black Bronze
Patina (FB)



Medium Bronze
Patina (MB)



Tumbled White
Bronze (TWB)

Bronze Patina finishes are living patina, designed to wear over time and change in appearance. The distressed appearance is what gives our bronze its character. Finish discoloration is not applicable to the warranty.



Unlacquered
Brass



Satin Brass
(US4)

Custom Finishes


Unlacquered Brass available for any brass products that are currently offered in French Antique (US7), for additional \$18 NET upcharge.

Satin Brass is available for select Modern Brass products. This custom finish is produced locally in our California manufacturing facility and requires an additional 1-2 days to create.

HANDING

Determining handing for door hardware is different than determining handing for carpentry (ordering and hanging doors). If you follow the standard carpentry rules for handing door hardware, instead of following the diagram below, there is good chance you may end up with a lock that is handed incorrectly. Please refer to the diagram below and if you have any questions, call Customer Service at (800) 356-2741.

HANDING OF DOOR IS ALWAYS DETERMINED FROM THE OUTSIDE




EMTEK MULTI POINT LOCK TRIM FOR SWING PATIO DOORS

CHOOSE TRIMSETS FROM 7 DOOR & LOCK CONFIGURATIONS, AVAILABLE BOTH KEYED AND NON-KEYED FUNCTIONS

>> To determine your Multi-Point Lock configuration:

- 1) Identify the manufacturer of your patio door and multi-point lock
- 2) Measure center-to-center hole spacing between lever and the cylinder
- 3) Check the lever position, is it above or below the cylinder?
- 4) Identify the type of cylinder used in the door, is it American or Euro Profile Cylinder?


PAGE



Door Configuration #1 8-13

American Cylinder Hub Below Handle, 3⁵/₈" Center to Center


ref. Atrium[®], G-U[®], KML by Andersen[®], Andersen[®], Marvin Integrity[®], Paddock Lockmaster[™], Superior[®]



Door Configuration #2 14-19

American Cylinder Hub Above Handle, 3⁵/₈" Center to Center


ref. BiltBest[®], G-U[®], Hurd[®] (Energy Saver), Andersen[®]



Door Configuration #3 20-25

American Cylinder Hub Above Handle, 4¹/₈" Center to Center


ref. Andersen[®]



Door Configuration #4 26-31

American Cylinder Hub Above Handle, 3 5/8" Center to Center


ref. Ashland®, Caradco®, JELD-WEN®, Jeldwen® Custom Collection (formerly Pozzi®), Marvin®, PGT®, Premium Collection (formerly Norco®), Weathershield®



Door Configuration #5 32-37

Euro Profile Cylinder Below Handle, 3 5/8" Center to Center


ref. Crestline®, Hoppe®, Hurd®, KFV®, Kolbe & Kolbe®, Lincoln®, Loewen®, Paddock Lockmaster™, Peachtree®, Semco®, Sierra Pacific®, Signature®, Simpson®, Therma-Tru®, Vetter®, Willmar®, Windsor®, Weathershield®



Door Configuration #6 38-43

American Cylinder Hub Below Handle, 3 5/8" Center to Center

ref. Milgard®, Pella®



Door Configuration #7 44-48

American Cylinder Hub Above Handle, 6" Center to Center

ref. Trillanium® (formerly W&F Manufacturing)

Product Index 49

Order Form 50

Lifetime Limited Warranty 51

Door Manufacturers listed under each configuration are for reference only and are subject to change. Some retro fitting may be necessary. Please carefully measure and identify your hardware using the diagrams and steps listed on page 3 and 4.

G-U® is a registered trademark of G-U Hardware, Inc. Paddock™ is a registered trademark of Yale® UK. Pella® is a registered trademark of Pella Corporation. Sierra Pacific Windows® is a registered trademark of Sierra Pacific Industries. Superior® is a registered trademark of Superior Engineered Products Corporation. Willmar® is a registered trademark of JELD-WEN of Canada Ltd. Andersen® is a registered trademark of Andersen Corporation. Trillanium® is a registered trademark of Endura Products, Inc. Eagle® is a registered trademark of Eagle Window and Door, Inc. BiltBest® is a registered trademark of BiltBest Windows and Patio Doors. Ashland® is a registered trademark of Ashland Products, Inc. Caradco®, JELD-WEN, Norco® and Pozzi® are registered trademarks of JELD-WEN Inc., Oregon, USA. Integrity® and Marvin® are registered trademarks of Marvin Windows and Doors. Milgard® is a registered trademark of Milgard Windows, Inc. Therma-Tru® is a registered trademark of Therma-Tru Doors®. HOPPE® is a registered trademark of HOPPE North America, Inc. Hurd® is a registered trademark of Hurd Millwork Company. Kolbe & Kolbe® is a registered trademark of Kolbe & Kolbe Millwork Company, Inc. Lincoln® is a registered trademark of Lincoln Wood Products, Inc. Loewen® is a registered trademark of Loewen Windows. PGT® is a registered trademark of PGT Industries. Peachtree® and Vetter® are registered trademark of The Peachtree Companies, Inc. Semco® is a registered trademark of Semling-Menke Co. Inc. Weathershield® is a registered trademark of Weathershield Mfg. Inc. KML by Andersen® is a registered trademark of KML by Andersen. Atrium® is a registered trademark of Atrium. KFV® is a registered trademark of KFV. Simpson® is a registered trademark of Simpson. Signature® is a registered trademark of Signature. Crestline® is a registered trademark of Crestline. Windsor® is a registered trademark of Windsor. With the exception of Paddock™, none of the aforementioned companies are affiliated with Emtek Products, Inc.

Terms: Net 30 Days on established credit.

Shipping: Emtex assembles all products to order in City of Industry, California. Orders typically ship within two business days. For shipments to customers located in the U.S. or Canada, Emtex ships freight prepaid via 3 day service. For shipments to customers located in Mexico, Emtex ships freight prepaid via UPS ground. For shipments to customers located outside of North America, Emtex ships freight prepaid to the U.S. location of the customer's freight forwarder via 3 day service.

If a reduced transit time is needed, shipments can be upgraded to 2nd Day Service or Next Day Service for a fee. Orders not shipping to the customer's place of business must ship via 2nd Day or Next Day Service, and additional charges will apply for shipments to a residential address. Emtex cannot use a customer's freight account for shipping charges.

Returned Goods: For your convenience, dealers can now process returns directly from the Emtex website. Go to www.emtek.com, click on "Dealer Site", and then select "Return Goods". Fill out the RGA form, and follow the link to generate a UPS call tag (terms and conditions apply – see the web site for details). A completed RGA form must accompany all packages for returned goods. Returns can only be accepted from, and any refunds made to, the Emtex dealer who originally purchased the product being returned. All returned goods are subject to a minimum 25% handling charge.

Minimum Order: There is no minimum order quantity. A \$10.00 net handling charge will be added to orders valued at less than \$50.00 net.

Patina Finishes: Sandcast and Lost Wax Cast Bronze products have hand applied patina finishes that will gracefully age showing highlights of the underlying bronze over time.


Prices: Prices are subject to change without prior notice. All prices listed are in U.S. funds.

Warranty: See the last page of this price book for warranty information.


Solid Brass




Brass Modern



Stainless Steel



Sandcast Bronze



Lost Wax Cast Bronze




* For Single Door Application Only.

DOOR CONFIGURATION

#1

American Cylinder Hub Below Handle 3⁵/₈" Center to Center

ref. Atrium®, G-U®, KML by Andersen®, Andersen®
Marvin Integrity®, Paddock Lockmaster™, Superior®



Brass Concord
1¹/₂" x 11" Non-Keyed
Rustic Levers



Brass Concord
2" x 10" Keyed
Cortina Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1¹/₂" x 11" Plates		<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Polished Brass - Lifetime (US3) French Antique (US7)* Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Pewter (US15A) Polished Chrome (US26)	\$194.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1171			
Non-Keyed Passage	1172			
Non-Keyed American Style Thumbturn Inside	1173			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1174			
Dummy Pair	1175			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1181			
Non-Keyed Passage	1182			
Non-Keyed American Style Thumbturn Inside	1183			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1184			
Dummy Pair	1185			

* Unlacquered Brass finish available
with additional \$18 NET upcharge.

Handing required. Key codes may be specified. Fit standard door thickness of 1³/₄", specify if different. Set includes Plates, Handles and Cylinders (where applicable).

Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.



BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26)	\$194.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11A1			
Non-Keyed Passage	11A2			
Non-Keyed American Style Thumbturn Inside	11A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11A4			
Dummy Pair	11A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11B1			
Non-Keyed Passage	11B2			
Non-Keyed American Style Thumbturn Inside	11B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11B4			
Dummy Pair	11B5			



STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Stainless Steel Lever Options.</i>	Stainless Steel (SS)	\$204.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11A1			
Non-Keyed Passage	11A2			
Non-Keyed American Style Thumbturn Inside	11A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11A4			
Dummy Pair	11A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11B1			
Non-Keyed Passage	11B2			
Non-Keyed American Style Thumbturn Inside	11B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11B4			
Dummy Pair	11B5			



Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable).
Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION

#1

American Cylinder Hub Below Handle 3⁵/₈" Center to Center

ref. Atrium®, G-U®, KML by Andersen®, Andersen®
Marvin Integrity®, Paddock Lockmaster™, Superior®



**Sandcast
Arched**
1 1/2" x 11" Non-Keyed
Cimarron Levers



**Sandcast
Arched**
2" x 10" Keyed
Durango Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Sandcast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1111			
Non-Keyed Passage	1112			
Non-Keyed American Style Thumbturn Inside	1113			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1114			
Dummy Pair	1115			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1121			
Non-Keyed Passage	1122			
Non-Keyed American Style Thumbturn Inside	1123			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1124			
Dummy Pair	1125			

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable).

Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.



SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Sandcast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1151			
Non-Keyed Passage	1152			
Non-Keyed American Style Thumbturn Inside	1153			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1154			
Dummy Pair	1155			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1161			
Non-Keyed Passage	1162			
Non-Keyed American Style Thumbturn Inside	1163			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1164			
Dummy Pair	1165			





LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Lost Wax Cast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1131			
Non-Keyed Passage	1132			
Non-Keyed American Style Thumbturn Inside	1133			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1134			
Dummy Pair	1135			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1141			
Non-Keyed Passage	1142			
Non-Keyed American Style Thumbturn Inside	1143			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1144			
Dummy Pair	1145			

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable).
Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #1

Specification Sheet for Components and Door Thickness

American Cylinder Below Handle 3 5/8" Center to Center



Keyed Plates with American Cylinder Includes non-keyed, thumbturn inside


Standard Door Thickness: 1 5/8" ~ 2"	Extended Door Thickness: 2"+ ~ 2 3/4"
Standard Components: <ul style="list-style-type: none"> • Single Cylinder Tailpiece • 3 3/4" Steel Spindle • 2" Rosette Screws • 1 1/2" Rosette Screws for 1 5/8" thick door 	Extended Components: <ul style="list-style-type: none"> • Long Single Cylinder Tailpiece • 4 1/2" Steel Spindle • 2 1/2" Rosette Screws • 2" Rosette Screws for 2" - 2 1/8" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: 1 5/8" ~ 2"	Extended Door Thickness: 2"+ ~ 2 3/4"
Standard Components: <ul style="list-style-type: none"> • Thumbturn Tailpiece • 3 3/4" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2" Rosette Screws • 1 1/2" Rosette Screws for 1 5/8" thick door 	Extended Components: <ul style="list-style-type: none"> • Long Thumbturn Tailpiece • 4 1/2" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2 1/2" Rosette Screws • 2" Rosette Screws for 2" - 2 1/8" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "Construction Keyed, House #_" next to applicable locks.



- Construction devices used on one or all of last four positions.



- Dimples drilled in plug in this position.

Charge for Construction Keying - \$3.00 (NET)

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder

- Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.

Keying to Code


- Order by indicating "Key Code XXXXX" next to applicable locks.

Keying Alike


- Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.
- If ordering multiple groups (houses) indicate "Keyed Alike House #_" next to applicable locks.

Swinging Patio Door Hardware - Set includes Plates, Handles and Cylinders (where applicable)
 Atrium®, G-U®, KML by Andersen®, Andersen®, Marvin Integrity®, Paddock Lockmaster™, Superior®


Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)




Non-Keyed, Passage (for Semi-Active Door)




Non-Keyed, American Style Thumbturn Inside (for Active Door)



Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)



Dummy Pair (for Non-Active Door)




DOOR CONFIGURATION


#2

American Cylinder Hub Above Handle 3⁵/₈" Center to Center

ref. BiltBest®, G-U®, Hurd® (Energy Saver), Andersen®



Brass Concord
1¹/₂" x 11" Non-Keyed
Turino Levers



Brass Concord
2" x 10" Non-Keyed
Santa Fe Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1¹/₂" x 11" Plates		<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Polished Brass - Lifetime (US3) French Antique (US7)* Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Pewter (US15A) Polished Chrome (US26)	\$194.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1271			
Non-Keyed Passage	1272			
Non-Keyed American Style Thumbturn Inside	1273			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1274			
Dummy Pair	1275			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1281			
Non-Keyed Passage	1282			
Non-Keyed American Style Thumbturn Inside	1283			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1284			
Dummy Pair	1285			

* Unlacquered Brass finish available with additional \$18 NET upcharge.

Handing required. Key codes may be specified. Fit standard door thickness of 1³/₄", specify if different. Set includes Plates, Handles and Cylinders (where applicable).

Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.



Brass Modern
1 1/2" x 11" Non-Keyed
Helios Levers



Brass Modern
2" x 10" Non-Keyed
Hercules Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26)	\$194.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	12A1			
Non-Keyed Passage	12A2			
Non-Keyed American Style Thumbturn Inside	12A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12A4			
Dummy Pair	12A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	12B1			
Non-Keyed Passage	12B2			
Non-Keyed American Style Thumbturn Inside	12B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12B4			
Dummy Pair	12B5			



Stainless Steel
1 1/2" x 11" Keyed
Poseidon Levers



Stainless Steel
2" x 10" Non-Keyed
Hermes Levers

STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Stainless Steel Lever Options.</i>	Stainless Steel (SS)	\$204.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	12A1			
Non-Keyed Passage	12A2			
Non-Keyed American Style Thumbturn Inside	12A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12A4			
Dummy Pair	12A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	12B1			
Non-Keyed Passage	12B2			
Non-Keyed American Style Thumbturn Inside	12B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12B4			
Dummy Pair	12B5			


Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable).
Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION

#2

American Cylinder Hub Above Handle 3⁵/₈" Center to Center

ref. BiltBest®, G-U®, Hurd® (Energy Saver), Andersen®



Sandcast Arched
1¹/₂" x 11" Keyed
Durango Levers



Sandcast Arched
2" x 10" Keyed
Teton Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1¹/₂" x 11" Plates		<i>See Page 7 for Sandcast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1211			
Non-Keyed Passage	1212			
Non-Keyed American Style Thumbturn Inside	1213			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1214			
Dummy Pair	1215			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1221			
Non-Keyed Passage	1222			
Non-Keyed American Style Thumbturn Inside	1223			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1224			
Dummy Pair	1225			

Handing required. Key codes may be specified. Fit standard door thickness of 1³/₄", specify if different. Set includes Plates, Handles and Cylinders (where applicable).

Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.



Sandcast Rectangular
1 1/2" x 11" Keyed
Lariat Levers



Sandcast Rectangular
2" x 10" Keyed
Montrose Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Sandcast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1251			
Non-Keyed Passage	1252			
Non-Keyed American Style Thumbturn Inside	1253			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1254			
Dummy Pair	1255			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1261			
Non-Keyed Passage	1262			
Non-Keyed American Style Thumbturn Inside	1263			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1264			
Dummy Pair	1265			



Bronze Tuscany
1 1/2" x 11" Non-Keyed
Napoli Levers





Bronze Tuscany
2" x 10" Non-Keyed
Padua Levers

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Lost Wax Cast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1231			
Non-Keyed Passage	1232			
Non-Keyed American Style Thumbturn Inside	1233			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1234			
Dummy Pair	1235			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1241			
Non-Keyed Passage	1242			
Non-Keyed American Style Thumbturn Inside	1243			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1244			
Dummy Pair	1245			

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable).
Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

Door Configuration #2 American Cylinder Above Handle 3 5/8" Center to Center



Keyed Plates with American Cylinder Includes non-keyed, thumbturn inside


Standard Door Thickness: 1 5/8" ~ 2"	Extended Door Thickness: 2" + ~ 2 3/4"
Standard Components: <ul style="list-style-type: none"> • Single Cylinder Tailpiece • 3 3/4" Steel Spindle • 2" Rosette Screws • 1 1/2" Rosette Screws for 1 5/8" thick door 	Extended Components: <ul style="list-style-type: none"> • Long Single Cylinder Tailpiece • 4 1/2" Steel Spindle • 2 1/2" Rosette Screws • 2" Rosette Screws for 2" - 2 1/8" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: 1 5/8" ~ 2"	Extended Door Thickness: 2" + ~ 2 3/4"
Standard Components: <ul style="list-style-type: none"> • Thumbturn Tailpiece • 3 3/4" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2" Rosette Screws • 1 1/2" Rosette Screws for 1 5/8" thick door 	Extended Components: <ul style="list-style-type: none"> • Long Thumbturn Tailpiece • 4 1/2" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2 1/2" Rosette Screws • 2" Rosette Screws for 2" - 2 1/8" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks.



- Construction devices used on one or all of last four positions.



- Dimples drilled in plug in this position.

Charge for Construction Keying - \$3.00 (NET)

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder

- Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.

Keying to Code

- Order by indicating "Key Code XXXXX" next to applicable locks.

Keying Alike

- Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.
- If ordering multiple groups (houses) indicate "**Keyed Alike House #_**" next to applicable locks.

Swinging Patio Door Hardware - Set includes Plates, Handles and Cylinders (where applicable)

BiltBest®, G-U®, Hurd® (Energy Saver), Andersen®


Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)	
1 ½" x 11" Plates, Product Codes 1211, 1231, 1251, 1271, 12A1 	2" x 10" Plates, Product Codes 1221, 1241, 1261, 1281, 12B1
Non-Keyed, Passage (for Semi-Active Door)	
1 ½" x 11" Plates, Product Codes 1212, 1232, 1252, 1272, 12A2 	2" x 10" Plates, Product Codes 1222, 1242, 1262, 1282, 12B2
Non-Keyed, American Style Thumbturn Inside (for Active Door)	
1 ½" x 11" Plates, Product Codes 1213, 1233, 1253, 1273, 12A3 	2" x 10" Plates, Product Codes 1223, 1243, 1263, 1283, 12B3
Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)	
1 ½" x 11" Plates, Product Codes 1214, 1234, 1254, 1274, 12A4 Fixed 	2" x 10" Plates, Product Codes 1224, 1244, 1264, 1284, 12B4 Fixed
Dummy Pair (for Non-Active Door)	
1 ½" x 11" Plates, Product Codes 1215, 1235, 1255, 1275, 12A5 Fixed 	2" x 10" Plates, Product Codes 1225, 1245, 1265, 1285, 12B5 Fixed

DOOR CONFIGURATION

#3

American Cylinder Hub Above Handle
4 1/8" Center to Center

ref. Andersen®



Brass Concord
 1 1/2" x 11" Keyed
 Wembley Levers



Brass Concord
 2" x 10" Non-Keyed
 Rope Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Polished Brass - Lifetime (US3) French Antique (US7)* Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Pewter (US15A) Polished Chrome (US26)	\$194.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1371			
Non-Keyed Passage	1372			
Non-Keyed American Style Thumbturn Inside	1373			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1374			
Dummy Pair	1375			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1381			
Non-Keyed Passage	1382			
Non-Keyed American Style Thumbturn Inside	1383			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1384			
Dummy Pair	1385			

* Unlacquered Brass finish available with additional \$18 NET upcharge.

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable).
Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.



BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26)	\$194.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	13A1			
Non-Keypad Passage	13A2			
Non-Keypad American Style Thumbturn Inside	13A3			
Non-Keypad Fixed Handle Outside, Operating Handle Inside	13A4			
Dummy Pair	13A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	13B1			
Non-Keypad Passage	13B2			
Non-Keypad American Style Thumbturn Inside	13B3			
Non-Keypad Fixed Handle Outside, Operating Handle Inside	13B4			
Dummy Pair	13B5			



STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Stainless Steel Lever Options.</i>	Stainless Steel (SS)	\$204.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	13A1			
Non-Keypad Passage	13A2			
Non-Keypad American Style Thumbturn Inside	13A3			
Non-Keypad Fixed Handle Outside, Operating Handle Inside	13A4			
Dummy Pair	13A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	13B1			
Non-Keypad Passage	13B2			
Non-Keypad American Style Thumbturn Inside	13B3			
Non-Keypad Fixed Handle Outside, Operating Handle Inside	13B4			
Dummy Pair	13B5			


Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable). **Weiser®(WRS) Keyway:** Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION

#3

American Cylinder Hub Above Handle
4 1/8" Center to Center

ref. Andersen®



Sandcast Arched
 1 1/2" x 11" Keyed
 Durango Levers



Sandcast Arched
 2" x 10" Non-Keyed
 Cody Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Sandcast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1311			
Non-Keyed Passage	1312			
Non-Keyed American Style Thumbturn Inside	1313			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1314			
Dummy Pair	1315			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1321			
Non-Keyed Passage	1322			
Non-Keyed American Style Thumbturn Inside	1323			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1324			
Dummy Pair	1325			

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable).

Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.





SANDBLAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Sandblast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1351			
Non-Keyed Passage	1352			
Non-Keyed American Style Thumbturn Inside	1353			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1354			
Dummy Pair	1355			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1361			
Non-Keyed Passage	1362			
Non-Keyed American Style Thumbturn Inside	1363			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1364			
Dummy Pair	1365			



LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Lost Wax Cast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1331			
Non-Keyed Passage	1332			
Non-Keyed American Style Thumbturn Inside	1333			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1334			
Dummy Pair	1335			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1341			
Non-Keyed Passage	1342			
Non-Keyed American Style Thumbturn Inside	1343			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1344			
Dummy Pair	1345			

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable).
Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

Door Configuration #3 American Cylinder Above Handle 4 1/8" Center to Center



Keyed Plates with American Cylinder Includes non-keyed, thumbturn inside


Standard Door Thickness: 1 5/8" ~ 2"	Extended Door Thickness: 2"+ ~ 2 3/4"
<p>Standard Components:</p> <ul style="list-style-type: none"> • Single Cylinder Tailpiece • 3 3/4" Steel Spindle • 2" Rosette Screws • 1 1/2" Rosette Screws for 1 5/8" thick door 	<p>Extended Components:</p> <ul style="list-style-type: none"> • Long Single Cylinder Tailpiece • 4 1/2" Steel Spindle • 2 1/2" Rosette Screws • 2" Rosette Screws for 2" - 2 1/8" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: 1 5/8" ~ 2"	Extended Door Thickness: 2"+ ~ 2 3/4"
<p>Standard Components:</p> <ul style="list-style-type: none"> • Thumbturn Tailpiece • 3 3/4" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2" Rosette Screws • 1 1/2" Rosette Screws for 1 5/8" thick door 	<p>Extended Components:</p> <ul style="list-style-type: none"> • Long Thumbturn Tailpiece • 4 1/2" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2 1/2" Rosette Screws • 2" Rosette Screws for 2" - 2 1/8" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks.



- Construction devices used on one or all of last four positions.



- Dimples drilled in plug in this position.











Charge for Construction Keying - \$3.00 (NET)
• Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder
• Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.

Keying to Code
• Order by indicating "Key Code XXXXX" next to applicable locks.

Keying Alike
• Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.
• If ordering multiple groups (houses) indicate " Keyed Alike House #_ " next to applicable locks.

Swinging Patio Door Hardware - Set includes Plates, Handles and Cylinders (where applicable)
Andersen®

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)	
1 1/2" x 11" Plates, Product Codes 1311, 1331, 1351, 1371, 13A1 	2" x 10" Plates, Product Codes 1321, 1341, 1361, 1381, 13B1 
Non-Keyed, Passage (for Semi-Active Door)	
1 1/2" x 11" Plates, Product Codes 1312, 1332, 1352, 1372, 13A2 	2" x 10" Plates, Product Codes 1322, 1342, 1362, 1382, 13B2 
Non-Keyed, American Style Thumbturn Inside (for Active Door)	
1 1/2" x 11" Plates, Product Codes 1313, 1333, 1353, 1373, 13A3 	2" x 10" Plates, Product Codes 1323, 1343, 1363, 1383, 13B3 
Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)	
1 1/2" x 11" Plates, Product Codes 1314, 1334, 1354, 1374, 13A4 	2" x 10" Plates, Product Codes 1324, 1344, 1364, 1384, 13B4 
Dummy Pair (for Non-Active Door)	
1 1/2" x 11" Plates, Product Codes 1315, 1335, 1355, 1375, 13A5 	2" x 10" Plates, Product Codes 1325, 1345, 1365, 1385, 13B5 



DOOR CONFIGURATION

#4

American Cylinder Hub Above Handle 3⁵/₈" Center to Center

ref. Ashland®, Caradco®, JELD-WEN®
Jeldwen® Custom Collection (formerly Pozzi®)
Marvin®, PGT®, Premium Collection (formerly Norco®)
Weathershield®

See Configuration #1 for Marvin Integrity® Doors



Brass Concord
1¹/₂" x 11" Keyed
Coventry Levers



Brass Concord
2" x 10" Non-Keyed
Santa Fe Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1¹/₂" x 11" Plates		<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Polished Brass - Lifetime (US3) French Antique (US7)* Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Pewter (US15A) Polished Chrome (US26)	\$194.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1471			
Non-Keyed Passage	1472			
Non-Keyed American Style Thumbturn Inside	1473			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1474			
Dummy Pair	1475			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1481			
Non-Keyed Passage	1482			
Non-Keyed American Style Thumbturn Inside	1483			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1484			
Dummy Pair	1485			

* Unlacquered Brass finish available with additional \$18 NET upcharge.

Handing required. Key codes may be specified. Fit standard door thickness of 1³/₄", specify if different. Set includes Plates, Handles and Cylinders (where applicable).
Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.



Brass Modern
1 1/2" x 11" Keyed
Aireon Levers



Brass Modern
2" x 10" Non-Keyed
Hercules Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26)	\$194.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	14A1			
Non-Keyed Passage	14A2			
Non-Keyed American Style Thumbturn Inside	14A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	14A4			
Dummy Pair	14A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	14B1			
Non-Keyed Passage	14B2			
Non-Keyed American Style Thumbturn Inside	14B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	14B4			
Dummy Pair	14B5			



Stainless Steel
1 1/2" x 11" Keyed
Stuttgart Levers



Stainless Steel
2" x 10" Non-Keyed
Hermes Levers

STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Stainless Steel Lever Options.</i>	Stainless Steel (SS)	\$204.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	14A1			
Non-Keyed Passage	14A2			
Non-Keyed American Style Thumbturn Inside	14A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	14A4			
Dummy Pair	14A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	14B1			
Non-Keyed Passage	14B2			
Non-Keyed American Style Thumbturn Inside	14B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	14B4			
Dummy Pair	14B5			

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4"; specify if different. Set includes Plates, Handles and Cylinders (where applicable).
Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.


DOOR CONFIGURATION

#4

American Cylinder Hub Above Handle 3⁵/₈" Center to Center

ref. Ashland®, Caradco®, JELD-WEN®
Jeldwen® Custom Collection (formerly Pozzi®)
Marvin®, PGT®, Premium Collection (formerly Norco®)
Weathershield®

See Configuration #1 for Marvin Integrity® Doors



Sandcast Arched
1¹/₂" x 11" Keyed
Montrose Levers



Sandcast Arched
2" x 10" Non-Keyed
Cody Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1¹/₂" x 11" Plates		<i>See Page 7 for Sandcast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1411			
Non-Keyed Passage	1412			
Non-Keyed American Style Thumbturn Inside	1413			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1414			
Dummy Pair	1415			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1421			
Non-Keyed Passage	1422			
Non-Keyed American Style Thumbturn Inside	1423			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1424			
Dummy Pair	1425			

Handing required. Key codes may be specified. Fit standard door thickness of 1³/₄", specify if different. Set includes Plates, Handles and Cylinders (where applicable).

Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.



Sandcast Rectangular
1 1/2" x 11" Keypad
Lariat Lever



Sandcast Rectangular
2" x 10" Keypad
Teton Lever

SANDBLAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Sandblast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keypad with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1451			
Non-Keypad Passage	1452			
Non-Keypad American Style Thumbturn Inside	1453			
Non-Keypad Fixed Handle Outside, Operating Handle Inside	1454			
Dummy Pair	1455			
Sets with 2" x 10" Plates				
Keypad with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1461			
Non-Keypad Passage	1462			
Non-Keypad American Style Thumbturn Inside	1463			
Non-Keypad Fixed Handle Outside, Operating Handle Inside	1464			
Dummy Pair	1465			



Bronze Tuscan
1 1/2" x 11" Non-Keypad
Napoli Levers





Bronze Tuscan
2" x 10" Keypad
Napoli Levers

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Lost Wax Cast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB)	\$216.00
Keypad with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1431			
Non-Keypad Passage	1432			
Non-Keypad American Style Thumbturn Inside	1433			
Non-Keypad Fixed Handle Outside, Operating Handle Inside	1434			
Dummy Pair	1435			
Sets with 2" x 10" Plates				
Keypad with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1441			
Non-Keypad Passage	1442			
Non-Keypad American Style Thumbturn Inside	1443			
Non-Keypad Fixed Handle Outside, Operating Handle Inside	1444			
Dummy Pair	1445			

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable). **Weiser®(WRS) Keyway:** Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

Door Configuration #4 American Cylinder Above Handle 3 5/8" Center to Center



Keyed Plates with American Cylinder Includes non-keyed, thumbturn inside

Standard Door Thickness: 1 5/8" ~ 2"

Standard Components:

- Single Cylinder Tailpiece
- 3 3/4" Steel Spindle
- 2" Rosette Screws for 1 5/8" - 1 3/4" thick door
- 2 1/2" Rosette Screws for 1 3/4" - 2" thick door

Extended Door Thickness: 2"+ ~ 2 3/4"

Extended Components:

- Long Single Cylinder Tailpiece
- 4 1/2" Steel Spindle
- 2 1/2" Rosette Screws 2" - 2 1/4" thick door
- 3" Rosette Screws for 2 1/4" - 2 3/4" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: 1 5/8" ~ 2"

Standard Components:

- Thumbturn Tailpiece
- 3 3/4" Steel Spindle (half-spindle for fixed handle out/operating handle in)
- 2" Rosette Screws for 1 5/8" - 1 3/4" thick door
- 2 1/2" Rosette Screws for 1 3/4" - 2" thick door


Extended Door Thickness: 2"+ ~ 2 3/4"

Extended Components:

- Long Thumbturn Tailpiece
- 4 1/2" Steel Spindle (half-spindle for fixed handle out/operating handle in)
- 2 1/2" Rosette Screws 2" - 2 1/4" thick door
- 3" Rosette Screws for 2 1/4" - 2 3/4" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks.



- Construction devices used on one or all of last four positions.



- Dimples drilled in plug in this position.

Charge for Construction Keying - \$3.00 (NET)

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder

- Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.

Keying to Code

- Order by indicating "Key Code XXXXX" next to applicable locks.

Keying Alike

- Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.
- If ordering multiple groups (houses) indicate "**Keyed Alike House #_**" next to applicable locks.

Swinging Patio Door Hardware - Set includes Plates, Handles and Cylinders (where applicable)

Ashland®, Caradco®, JELD-WEN®, Jeldwen® Custom Collection (formerly Pozzi®), Marvin®, PGT®, Premium Collection (formerly Norco®), Weathershield®

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)	
<p>1 ½" x 11" Plates, Product Codes 1411, 1431, 1451, 1471, 14A1</p>	<p>2" x 10" Plates, Product Codes 1421, 1441, 1461, 1481, 14B1</p>
Non-Keyed, Passage (for Semi-Active Door)	
<p>1 ½" x 11" Plates, Product Codes 1412, 1432, 1452, 1472, 14A2</p>	<p>2" x 10" Plates, Product Codes 1422, 1442, 1462, 1482, 14B2</p>
Non-Keyed, American Style Thumbturn Inside (for Active Door)	
<p>1 ½" x 11" Plates, Product Codes 1413, 1433, 1453, 1473, 14A3</p>	<p>2" x 10" Plates, Product Codes 1423, 1443, 1463, 1483, 14B3</p>
Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)	
<p>1 ½" x 11" Plates, Product Codes 1414, 1434, 1454, 1474, 14A4</p> <p>Fixed</p>	<p>2" x 10" Plates, Product Codes 1424, 1444, 1464, 1484, 14B4</p> <p>Fixed</p>
Dummy Pair (for Non-Active Door)	
<p>1 ½" x 11" Plates, Product Codes 1415, 1435, 1455, 1475, 14A5</p> <p>Fixed</p>	<p>2" x 10" Plates, Product Codes 1425, 1445, 1465, 1485, 14B5</p> <p>Fixed</p>


DOOR CONFIGURATION

#5


Euro Profile Cylinder Below Handle

3⁵/₈" Center to Center

ref. Crestline[®], Hoppe[®], Hurd[®], KJV[®], Kolbe & Kolbe[®]
 Lincoln[®], Loewen[®], Paddock Lockmaster[™], Peachtree[®]
 Semco[®], Sierra Pacific[®], Signature[®], Simpson[®]
 Therma-Tru[®], Vetter[®], Willmar[®], Windsor[®]
 Weathershield[®]



Brass Concord
 1 1/2" x 11" Keyed
 Turino Levers



Brass Concord
 2" x 10" Keyed
 Rustic Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Polished Brass - Lifetime (US3) French Antique (US7)* Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Pewter (US15A) Polished Chrome (US26)	\$194.00
Keyed with Euro Profile Cylinder (Schlage [®] Keyway standard, Rekeyable)	1571			
Non-Keyed Passage	1572			
Non-Keyed Euro Profile Thumbturn Inside	1573			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1574			
Dummy Pair	1575			
Sets with 2" x 10" Plates				
Keyed with Euro Profile Cylinder (Schlage [®] Keyway standard, Rekeyable)	1581			
Non-Keyed Passage	1582			
Non-Keyed Euro Profile Thumbturn Inside	1583			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1584			
Dummy Pair	1585			

* Unlacquered Brass finish available with additional \$18 NET upcharge.

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable).

Weiser[®] Keyway not available for Configuration 5, Euro cylinder.



BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates	15A1	<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26)	\$194.00
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)				
Non-Keyed Passage				
Non-Keyed Euro Profile Thumbturn Inside				
Non-Keyed Fixed Handle Outside, Operating Handle Inside				
Dummy Pair				
Sets with 2" x 10" Plates	15B1			
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)				
Non-Keyed Passage				
Non-Keyed Euro Profile Thumbturn Inside				
Non-Keyed Fixed Handle Outside, Operating Handle Inside				
Dummy Pair				



STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates	15A1	<i>See Page 7 for Stainless Steel Lever Options.</i>	Stainless Steel (SS)	\$204.00
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)				
Non-Keyed Passage				
Non-Keyed Euro Profile Thumbturn Inside				
Non-Keyed Fixed Handle Outside, Operating Handle Inside				
Dummy Pair				
Sets with 2" x 10" Plates	15B1			
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)				
Non-Keyed Passage				
Non-Keyed Euro Profile Thumbturn Inside				
Non-Keyed Fixed Handle Outside, Operating Handle Inside				
Dummy Pair				

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable).
Weiser® Keyway not available for Configuration 5, Euro cylinder.


DOOR CONFIGURATION

#5


Euro Profile Cylinder Below Handle

3⁵/₈" Center to Center

ref. Crestline[®], Hoppe[®], Hurd[®], KfV[®], Kolbe & Kolbe[®]
 Lincoln[®], Loewen[®], Paddock Lockmaster[™], Peachtree[®]
 Semco[®], Sierra Pacific[®], Signature[®], Simpson[®]
 Therma-Tru[®], Vetter[®], Willmar[®], Windsor[®]
 Weathershield[®]



Sandcast Arched
 1¹/₂" x 11" Keyed
 Lariat Levers



Sandcast Arched
 2" x 10" Keyed
 Durango Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1¹/₂" x 11" Plates		<i>See Page 7 for Sandcast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keyed with Euro Profile Cylinder (Schlage [®] Keyway standard, Rekeyable)	1511			
Non-Keyed Passage	1512			
Non-Keyed Euro Profile Thumbturn Inside	1513			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1514			
Dummy Pair	1515			
Sets with 2" x 10" Plates				
Keyed with Euro Profile Cylinder (Schlage [®] Keyway standard, Rekeyable)	1521			
Non-Keyed Passage	1522			
Non-Keyed Euro Profile Thumbturn Inside	1523			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1524			
Dummy Pair	1525			

Handing required. Key codes may be specified. Fit standard door thickness of 1³/₄", specify if different. Set includes Plates, Handles and Cylinders (where applicable).
 Weiser[®] Keyway not available for Configuration 5, Euro cylinder.





SANDCAST BRONZE PLATES, RECTANGULAR STYLE		Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		1551	See Page 7 for Sandcast Bronze Lever Options.	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)					
Non-Keyed Passage					
Non-Keyed Euro Profile Thumbturn Inside					
Non-Keyed Fixed Handle Outside, Operating Handle Inside					
Dummy Pair					
Sets with 2" x 10" Plates		1561			
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)					
Non-Keyed Passage					
Non-Keyed Euro Profile Thumbturn Inside					
Non-Keyed Fixed Handle Outside, Operating Handle Inside					
Dummy Pair					



LOST WAX CAST BRONZE PLATES, TUSCANY STYLE		Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		1531	See Page 7 for Lost Wax Cast Bronze Lever Options.	Flat Black Bronze (FB) Medium Bronze (MB)	\$216.00
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)					
Non-Keyed Passage					
Non-Keyed Euro Profile Thumbturn Inside					
Non-Keyed Fixed Handle Outside, Operating Handle Inside					
Dummy Pair					
Sets with 2" x 10" Plates		1541			
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)					
Non-Keyed Passage					
Non-Keyed Euro Profile Thumbturn Inside					
Non-Keyed Fixed Handle Outside, Operating Handle Inside					
Dummy Pair					

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable).
Weiser® Keyway not available for Configuration 5, Euro cylinder.

Door Configuration #5 Euro Profile Cylinder Below Handle 3 5/8" Center to Center



Keyed Plates with Euro Profile Cylinder

Standard Door Thickness: 1 5/8" ~ 1 3/4"	Extended Door Thickness: 1 3/4" ~ 2 1/4"	Extended Door Thickness: 2 1/4" ~ 2 3/4"
Standard Components: <ul style="list-style-type: none"> • 2 9/16" Euro Profile Cylinder • 3 3/4" Steel Spindle • 1 1/2" Rosette Screws 	Extended Components: <ul style="list-style-type: none"> • 3 5/32" Euro Profile Cylinder • 4 1/2" Steel Spindle • 2" Rosette Screws 	Extended Components: <ul style="list-style-type: none"> • 3 17/32" Euro Profile Cylinder • 4 1/2" Steel Spindle • 2 1/2" Rosette Screws

Non-Keyed Plates with Euro Profile Half Cylinder


Standard Door Thickness: 1 5/8" ~ 1 3/4"	Extended Door Thickness: 1 3/4" ~ 2 1/4"	Extended Door Thickness: 2 1/4" ~ 2 3/4"
Standard Components: <ul style="list-style-type: none"> • 1 21/32" Euro Profile Half-Cylinder • 3 3/4" Steel Spindle • 1 1/2" Rosette Screws 	Extended Components: <ul style="list-style-type: none"> • 1 33/32" Euro Profile Half-Cylinder • 4 1/2" Steel Spindle • 2" Rosette Screws 	Extended Components: <ul style="list-style-type: none"> • 2 5/32" Euro Profile Half-Cylinder • 4 1/2" Steel Spindle • 2 1/2" Rosette Screws

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: 1 5/8" - 2"	Extended Door Thickness: 2" - 2 3/4"
Standard Components: <ul style="list-style-type: none"> • 3 3/4" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2" Rosette Screws • 1 1/2" Rosette Screws for 1 5/8" thick door 	Extended Components: <ul style="list-style-type: none"> • 4 1/2" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2 1/2" Rosette Screws • 2" Rosette Screws for 2" - 2 1/8" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "Construction Keyed, House #_" next to applicable locks.



- Construction devices used on one or all of last four positions.



- Dimples drilled in plug in this position.

Charge for Construction Keying - \$3.00 (NET) <ul style="list-style-type: none"> • Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.
Charge for Re-Keying - \$2.00 (NET) per Cylinder <ul style="list-style-type: none"> • Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.
Keying to Code <ul style="list-style-type: none"> • Order by indicating "Key Code XXXXX" next to applicable locks.
Keying Alike <ul style="list-style-type: none"> • Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted. • If ordering multiple groups (houses) indicate "Keyed Alike House #_" next to applicable locks.

Swinging Patio Door Hardware - Set includes Plates, Handles and Cylinders (where applicable)
 Crestline®, Hoppe®, Hurd®, KfV®, Kolbe & Kolbe®, Lincoln®, Loewen®, Paddock Lockmaster™,
 Peachtree®, Semco®, Sierra Pacific®, Signature®, Simpson®, Thermo-Tru®, Vetter®, Willmar®, Windsor®, Weathershield®


Keyed with Euro Profile Cylinder (for Active Door, Schlage® Keyway Standard, Rekeyable)	
<p>1 1/2" x 11" Plates, Product Codes 1511, 1531, 1551, 1571, 15A1</p>	<p>2" x 10" Plates, Product Codes 1521, 1541, 1561, 1581, 15B1</p>
Non-Keyed, Passage (for Semi-Active Door)	
<p>1 1/2" x 11" Plates, Product Codes 1512, 1532, 1552, 1572, 15A2</p>	<p>2" x 10" Plates, Product Codes 1522, 1542, 1562, 1582, 15B2</p>
Non-Keyed, Euro Profile Style Thumbturn Inside (for Active Door)	
<p>1 1/2" x 11" Plates, Product Codes 1513, 1533, 1553, 1573, 15A3</p>	<p>2" x 10" Plates, Product Codes 1523, 1543, 1563, 1583, 15B3</p>
Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)	
<p>1 1/2" x 11" Plates, Product Codes 1514, 1534, 1554, 1574, 15A4</p> <p>Fixed</p>	<p>2" x 10" Plates, Product Codes 1524, 1544, 1564, 1584, 15B4</p> <p>Fixed</p>
Dummy Pair (for Non-Active Door)	
<p>1 1/2" x 11" Plates, Product Codes 1515, 1535, 1555, 1575, 15A5</p> <p>Fixed</p>	<p>2" x 10" Plates, Product Codes 1525, 1545, 1565, 1585, 15B5</p> <p>Fixed</p>

DOOR CONFIGURATION

#6

American Cylinder Hub Below Handle
3⁵/₈" Center to Center

ref. Milgard®, Pella®



Brass Concord
 1¹/₂" x 11" Keyed
 Cortina Levers



Brass Concord
 2" x 10" Non-Keyed
 Santa Fe Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1¹/₂" x 11" Plates		<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Polished Brass - Lifetime (US3) French Antique (US7)* Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Pewter (US15A) Polished Chrome (US26)	\$194.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1671			
Non-Keyed Passage	1672			
Non-Keyed American Style Thumbturn Inside	1673			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1674			
Dummy Pair	1675			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1681			
Non-Keyed Passage	1682			
Non-Keyed American Style Thumbturn Inside	1683			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1684			
Dummy Pair	1685			

* Unlacquered Brass finish available with additional \$18 NET upcharge.

Handing required. Key codes may be specified. Fit standard door thickness of 1³/₄", specify if different. Set includes Plates, Handles and Cylinders (where applicable).
Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.



BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26)	\$194.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	16A1			
Non-Keyed Passage	16A2			
Non-Keyed American Style Thumbturn Inside	16A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	16A4			
Dummy Pair	16A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	16B1			
Non-Keyed Passage	16B2			
Non-Keyed American Style Thumbturn Inside	16B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	16B4			
Dummy Pair	16B5			



STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Stainless Steel Lever Options.</i>	Stainless Steel (SS)	\$204.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	16A1			
Non-Keyed Passage	16A2			
Non-Keyed American Style Thumbturn Inside	16A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	16A4			
Dummy Pair	16A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	16B1			
Non-Keyed Passage	16B2			
Non-Keyed American Style Thumbturn Inside	16B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	16B4			
Dummy Pair	16B5			


Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable). **Weiser®(WRS) Keyway:** Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION

#6

American Cylinder Hub Below Handle
3⁵/₈" Center to Center

ref. Milgard®, Pella®



SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1¹/₂" x 11" Plates		<i>See Page 7 for Sandcast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1611			
Non-Keyed Passage	1612			
Non-Keyed American Style Thumbturn Inside	1613			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1614			
Dummy Pair	1615			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1621			
Non-Keyed Passage	1622			
Non-Keyed American Style Thumbturn Inside	1623			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1624			
Dummy Pair	1625			

Handing required. Key codes may be specified. Fit standard door thickness of 1³/₄", specify if different. Set includes Plates, Handles and Cylinders (where applicable).

Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.



Sandcast Rectangular
1 1/2" x 11" Non-Keyed Lariat Levers



Sandcast Rectangular
2" x 10" Keyed Montrose Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Sandcast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1651			
Non-Keyed Passage	1652			
Non-Keyed American Style Thumbturn Inside	1653			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1654			
Dummy Pair	1655			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1661			
Non-Keyed Passage	1662			
Non-Keyed American Style Thumbturn Inside	1663			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1664			
Dummy Pair	1665			



Bronze Tuscany
1 1/2" x 11" Keyed Octagon Levers





Bronze Tuscany
2" x 10" Non-Keyed Napoli Levers

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1 1/2" x 11" Plates		<i>See Page 7 for Lost Wax Cast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1631			
Non-Keyed Passage	1632			
Non-Keyed American Style Thumbturn Inside	1633			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1634			
Dummy Pair	1635			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1641			
Non-Keyed Passage	1642			
Non-Keyed American Style Thumbturn Inside	1643			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1644			
Dummy Pair	1645			

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable). **Weiser®(WRS) Keyway:** Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

Door Configuration #6 American Cylinder Below Handle 3 5/8" Center to Center



Keyed Plates with American Cylinder Includes non-keyed, thumbturn inside

Standard Door Thickness: 1 5/8" ~ 2"

- Standard Components:
- Single Cylinder Tailpiece
 - 3 3/4" Steel Spindle
 - 2" Rosette Screws
 - 1 1/2" Rosette Screws for 1 5/8" thick door

Extended Door Thickness: 2" + ~ 2 3/4"

- Extended Components:
- Long Single Cylinder Tailpiece
 - 4 1/2" Steel Spindle
 - 2 1/2" Rosette Screws
 - 2" Rosette Screws for 2" - 2 1/8" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: 1 5/8" ~ 2"


- Standard Components:
- Thumbturn Tailpiece
 - 3 3/4" Steel Spindle (half-spindle for fixed handle out/operating handle in)
 - 2" Rosette Screws
 - 1 1/2" Rosette Screws for 1 5/8" thick door

Extended Door Thickness: 2" + ~ 2 3/4"

- Extended Components:
- Long Thumbturn Tailpiece
 - 4 1/2" Steel Spindle (half-spindle for fixed handle out/operating handle in)
 - 2 1/2" Rosette Screws
 - 2" Rosette Screws for 2" - 2 1/8" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House #**_" next to applicable locks.



- Construction devices used on one or all of last four positions.



- Dimples drilled in plug in this position.

Charge for Construction Keying - \$3.00 (NET)

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder

- Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.

Keying to Code

- Order by indicating "Key Code XXXXX" next to applicable locks.

Keying Alike

- Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.
- If ordering multiple groups (houses) indicate "**Keyed Alike House #**_" next to applicable locks.

Swinging Patio Door Hardware - Set includes Plates, Handles and Cylinders (where applicable)
Milgard®, Pella®


<p>Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)</p>	
<p>1 1/2" x 11" Plates, Product Codes 1611, 1631, 1651, 1671, 16A1</p>	<p>2" x 10" Plates, Product Codes 1621, 1641, 1661, 1681, 16B1</p>
<p>Non-Keyed, Passage (for Semi-Active Door)</p>	
<p>1 1/2" x 11" Plates, Product Codes 1612, 1632, 1652, 1672, 16A2</p>	<p>2" x 10" Plates, Product Codes 1622, 1642, 1662, 1682, 16B2</p>
<p>Non-Keyed, American Style Thumbturn Inside (for Active Door)</p>	
<p>1 1/2" x 11" Plates, Product Codes 1613, 1633, 1653, 1673, 16A3</p>	<p>2" x 10" Plates, Product Codes 1623, 1643, 1663, 1683, 16B3</p>
<p>Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)</p>	
<p>1 1/2" x 11" Plates, Product Codes 1614, 1634, 1654, 1674, 16A4</p>	<p>2" x 10" Plates, Product Codes 1624, 1644, 1664, 1684, 16B4</p>
<p>Dummy Pair (for Non-Active Door)</p>	
<p>1 1/2" x 11" Plates, Product Codes 1615, 1635, 1655, 1675, 16A5</p>	<p>2" x 10" Plates, Product Codes 1625, 1645, 1665, 1685, 16B5</p>

DOOR CONFIGURATION

#7

American Cylinder Hub Above Handle 6" Center to Center

ref. Trillanium® (formerly W&F Manufacturing)



Brass Modern
2" x 10" Keyed
Poseidon Levers



Brass Modern
2" x 10" Non-Keyed
Hercules Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2" x 10" Plates		<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26)	\$194.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	17B1			
Non-Keyed American Style T-Turn Inside (Patio Function)	17B3			
Dummy Pair	17B5			
Non-Keyed American Style T-Turn Inside, Fixed Handles	17B6			

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable).
Weiser®(WR5) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.



Stainless Steel
2" x 10" Keyed
Stuttgart Levers



Stainless Steel
2" x 10" Non-Keyed
Hercules Levers

STAINLESS STEEL PLATES, MODERN STYLE		Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2" x 10" Plates		17B1	<i>See Page 7 for Brass & Modern Brass Lever Options.</i>	Stainless Steel (SS)	\$204.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)					
Non-Keyed American Style T-Turn Inside (Patio Function)					
Dummy Pair					
Non-Keyed American Style T-Turn Inside, Fixed Handles					



Sandcast Arched
2" x 10" Keyed
Montrose Levers



Sandcast Arched
2" x 10" Non-Keyed
Cody Levers

SANDCAST BRONZE PLATES, ARCHED STYLE		Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2" x 10" Plates		1721	<i>See Page 7 for Sandcast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)					
Non-Keyed American Style T-Turn Inside (Patio Function)					
Dummy Pair					
Non-Keyed American Style T-Turn Inside, Fixed Handles					



Sandcast Rectangular
2" x 10" Keyed
Lariat Levers



Sandcast Rectangular
2" x 10" Non-Keyed
Lariat Levers


SANDCAST BRONZE PLATES, RECTANGULAR STYLE		Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2" x 10" Plates		1761	<i>See Page 7 for Sandcast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)					
Non-Keyed American Style T-Turn Inside (Patio Function)					
Dummy Pair					
Non-Keyed American Style T-Turn Inside, Fixed Handles					

DOOR CONFIGURATION

#7

**American Cylinder Hub Above Handle
6" Center to Center**

ref. Trillanium® (formerly W&F Manufacturing)



Bronze Tuscany
2" x 10" Keyed
Padua Levers




Bronze Tuscany
2" x 10" Non-Keyed
Napoli Levers

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2" x 10" Plates		<i>See Page 7 for Lost Wax Cast Bronze Lever Options.</i>	Flat Black Bronze (FB) Medium Bronze (MB)	\$216.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1741			
Non-Keyed American Style T-Turn Inside (Patio Function)	1743			
Dummy Pair	1745			
Non-Keyed American Style T-Turn Inside, Fixed Handles	1746			

Handing required. Key codes may be specified. Fit standard door thickness of 1 3/4", specify if different. Set includes Plates, Handles and Cylinders (where applicable).
Weiser®(WRS) Keyway: Specify by adding "W" to the beginning of Product Code. No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

Door Configuration #7 American Cylinder Above Handle 6" Center to Center



Keyed Plates with American Cylinder Includes non-keyed, thumbturn inside


Standard Door Thickness: 1 5/8" ~ 2"	Extended Door Thickness: 2" + ~ 2 3/4"
<p>Standard Components:</p> <ul style="list-style-type: none"> • Single Cylinder Tailpiece • 2" Steel Spindles (Half-spindle) • 2" Rosette Screws for 1 5/8" - 1 3/4" thick door • 2 1/2" Rosette Screws for 1 3/4" - 2" thick door 	<p>Extended Components:</p> <ul style="list-style-type: none"> • Long Single Cylinder Tailpiece • 2" Steel Spindles (Half-spindle) • 2 1/2" Rosette Screws 2" - 2 1/4" thick door • 3" Rosette Screws for 2 1/4" - 2 3/4" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, & dummy (uses screws only)

Standard Door Thickness: 1 5/8" ~ 2"	Extended Door Thickness: 2" + ~ 2 3/4"
<p>Standard Components:</p> <ul style="list-style-type: none"> • Thumbturn Tailpiece • 2" Steel Spindles (Half-spindle. No spindle for fixed handles) • 2" Rosette Screws for 1 5/8" - 1 3/4" thick door • 2 1/2" Rosette Screws for 1 3/4" - 2" thick door 	<p>Extended Components:</p> <ul style="list-style-type: none"> • Long Thumbturn Tailpiece • 2" Steel Spindles (Half-spindle. No spindle for fixed handles) • 2 1/2" Rosette Screws 2" - 2 1/4" thick door • 3" Rosette Screws for 2 1/4" - 2 3/4" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House # _**" next to applicable locks.



- Construction devices used on one or all of last four positions.



- Dimples drilled in plug in this position.

Charge for Construction Keying - \$3.00 (NET)
• Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder
• Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.

Keying to Code
• Order by indicating " Key Code XXXXX" next to applicable locks.

Keying Alike
• Order by indicating " Keyed Alike" next to applicable locks if only one keyed alike group is wanted.
• If ordering multiple groups (houses) indicate " Keyed Alike House # _ " next to applicable locks.


DOOR CONFIGURATION #7 Specification Sheet for Trim and Cylinder Styles

Swinging Patio Door Hardware - Set includes Plates, Handles and Cylinders (where applicable)

Trillenium® (formerly W&F Manufacturing)


Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

2" x 10" Plates, Product Codes 1721, 1741, 1761, 17B1




Non-Keyed, American Style T-Turn Inside (Active Door)

2" x 10" Plates, Product Codes 1723, 1743, 1763, 17B3




Dummy Pair (for Non-Active Door)

2" x 10" Plates, Product Codes 1725, 1745, 1765, 17B5



Non-Keyed, Fixed Handles, American Style T-Turn Inside (for Semi-Active Door)

2" x 10" Plates, Product Codes 1726, 1746, 1766, 17B6



PRODUCT CODE	PAGE										
1111	10	1242	17	1375	20	1533	35	1671	38	14B2	27
1112	10	1243	17	1381	20	1534	35	1672	38	14B3	27
1113	10	1244	17	1382	20	1535	35	1673	38	14B4	27
1114	10	1245	17	1383	20	1541	35	1674	38	14B5	27
1115	10	1251	17	1384	20	1542	35	1675	38	15A1	33
1121	10	1252	17	1385	20	1543	35	1681	38	15A2	33
1122	10	1253	17	1411	28	1544	35	1682	38	15A3	33
1123	10	1254	17	1412	28	1545	35	1683	38	15A4	33
1124	10	1255	17	1413	28	1551	35	1684	38	15A5	33
1125	10	1261	17	1414	28	1552	35	1685	38	15B1	33
1131	11	1262	17	1415	28	1553	35	1721	45	15B2	33
1132	11	1263	17	1421	28	1554	35	1723	45	15B3	33
1133	11	1264	17	1422	28	1555	35	1725	45	15B4	33
1134	11	1265	17	1423	28	1561	35	1726	45	15B5	33
1135	11	1271	14	1424	28	1562	35	1741	46	16A1	39
1141	11	1272	14	1425	28	1563	35	1743	46	16A2	39
1142	11	1273	14	1431	29	1564	35	1745	46	16A3	39
1143	11	1274	14	1432	29	1565	35	1746	46	16A4	39
1144	11	1275	14	1433	29	1571	32	1761	45	16A5	39
1145	11	1281	14	1434	29	1572	32	1763	45	16B1	39
1151	11	1282	14	1435	29	1573	32	1765	45	16B2	39
1152	11	1283	14	1441	29	1574	32	1766	45	16B3	39
1153	11	1284	14	1442	29	1575	32	11A1	9	16B4	39
1154	11	1285	14	1443	29	1581	32	11A2	9	16B5	39
1161	11	1311	22	1444	29	1582	32	11A3	9	17B1	44,45
1162	11	1312	22	1445	29	1583	32	11A4	9	17B3	44,45
1163	11	1313	22	1451	29	1584	32	11A5	9	17B4	44,45
1164	11	1314	22	1452	29	1585	32	11B1	9	17B5	44,45
1165	11	1315	22	1453	29	1611	40	11B2	9		
1171	8	1321	22	1454	29	1612	40	11B3	9		
1172	8	1322	22	1455	29	1613	40	11B4	9		
1173	8	1323	22	1461	29	1614	40	11B5	9		
1174	8	1324	22	1462	29	1615	40	12A1	15		
1175	8	1325	22	1463	29	1621	40	12A2	15		
1181	8	1331	23	1464	29	1622	40	12A3	15		
1182	8	1332	23	1465	29	1623	40	12A4	15		
1183	8	1333	23	1471	26	1624	40	12A5	15		
1184	8	1334	23	1472	26	1625	40	12B1	15		
1185	8	1335	23	1473	26	1631	41	12B2	15		
1211	16	1341	23	1474	26	1632	41	12B3	15		
1212	16	1342	23	1475	26	1633	41	12B4	15		
1213	16	1343	23	1481	26	1634	41	12B5	15		
1214	16	1344	23	1482	26	1635	41	13A1	21		
1215	16	1345	23	1483	26	1641	41	13A2	21		
1221	16	1351	23	1484	26	1642	41	13A3	21		
1222	16	1352	23	1485	26	1643	41	13A4	21		
1223	16	1353	23	1511	34	1644	41	13A5	21		
1224	16	1354	23	1512	34	1645	41	13B1	21		
1225	16	1355	23	1513	34	1651	41	13B2	21		
1231	17	1361	23	1514	34	1652	41	13B3	21		
1232	17	1362	23	1515	34	1653	41	13B4	21		
1233	17	1363	23	1521	34	1654	41	13B5	21		
1234	17	1364	23	1522	34	1655	41	14A1	27		
1235	17	1365	23	1523	34	1661	41	14A2	27		
1241	17	1371	20	1524	34	1662	41	14A3	27		
		1372	20	1525	34	1663	41	14A4	27		
		1373	20	1531	35	1664	41	14A5	27		
		1374	20	1532	35	1665	41	14B1	27		

Subject to the terms and conditions of this warranty, Emtek Products, Inc. ("Company") extends a lifetime limited warranty to the original consumer user ("Original User") of our product ("Product") against defects in material and workmanship, as long as the Original User occupies the residential premises upon which the Product was originally installed.

This warranty only applies to the Original User of the Products. This warranty is not transferable. This warranty applies to all products sold on or after April 2, 2012.

Original User: The Original User will return the defective Product to the Company, free and clear of all liens and encumbrances, transportation prepaid, accompanied by a statement of defects and proof of purchase.

What Emtek will do: Upon return of the defective Product to Emtek, Emtek's sole obligation, at its option, is to either repair or replace the Product, or refund the original purchase price in exchange for the Product.

THE COMPANY MAKES NO OTHER WARRANTY OTHER THAN AS EXPRESSLY STATED HEREIN, AND ALL IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY EXCLUDED.

THE COMPANY'S MAXIMUM LIABILITY HEREUNDER IS LIMITED TO THE PURCHASE PRICE OF THE PRODUCT. IN NO EVENT SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL, INDIRECT, INCIDENTAL OR SPECIAL AND/OR PUNITIVE DAMAGES OF ANY NATURE ARISING FROM THE SALE OR USE OF THE PRODUCT, WHETHER BASED ON CONTRACT, WARRANTY, TORT, STRICT LIABILITY, PATENT INFRINGEMENT, OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Some local laws do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you. This warranty gives specific legal rights and a buyer may also have other rights which may vary from state to state.

WHAT IS NOT COVERED: THE FOLLOWING COSTS, EXPENSES AND DAMAGES ARE NOT COVERED BY THE PROVISIONS OF THIS LIMITED WARRANTY: (I) LABOR COSTS INCLUDING, BUT NOT LIMITED TO, SUCH COSTS AS THE REMOVAL AND REINSTALLATION OF PRODUCT; AND (II) SHIPPING AND FREIGHT EXPENSES REQUIRED TO RETURN PRODUCT TO EMTEK.

THE PROVISIONS OF THIS WARRANTY DO NOT APPLY TO PRODUCTS: (I) USED IN COMMERCIAL APPLICATIONS; (II) USED IN COMMON AREA APPLICATIONS; (III) USED FOR PURPOSES FOR WHICH THEY ARE NOT DESIGNED OR INTENDED; (IV) WHICH HAVE BEEN SUBJECTED TO ALTERATION, ABUSE, MISUSE, NEGLIGENCE OR ACCIDENT; (V) WHICH HAVE BEEN IMPROPERLY STORED, INSTALLED, MAINTAINED OR OPERATED; (VI) WHICH HAVE BEEN USED IN VIOLATION OF WRITTEN INSTRUCTIONS PROVIDED BY EMTEK; (VII) WHICH HAVE BEEN SUBJECTED TO IMPROPER TEMPERATURE, HUMIDITY OR OTHER ENVIRONMENTAL CONDITIONS; OR (VIII) WHICH, BASED ON EMTEK'S EXAMINATION, DO NOT DISCLOSE TO EMTEK'S SATISFACTION NON-CONFORMANCE TO THE WARRANTY. Additionally, this warranty DOES NOT COVER scratches, abrasions, or deterioration due to the use of paints, solvents or other chemicals.

Finish Warranty: Polished Brass-Lifetime finish carries a lifetime limited finish warranty. There is no finish warranty on Deep Burgundy, Medium Bronze Patina, Silver Patina, Flat Black Patina, Tumbled White Bronze, and Unlacquered Brass finishes. All other finishes carry a five year finish warranty.

Warranty claims: For warranty service and shipping instructions contact customer service at:

EMTEK Products, Inc.
15250 E. Stafford Street
City of Industry, CA 91744
Tel: (626) 961-0413

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience

EMTEK®
ASSA ABLOY

EMTEK Products, Inc.
15250 E. Stafford Street
City of Industry • CA 91744
Tel: 800-356-2741 • 626-961-0413
Fax: 800-577-5771 • 626-336-2812
emtek.com



Scan this code to visit our website



follow us on

facebook.com/EmtekAssaAbloy
youtube.com/user/EMTEKproducts
twitter.com/emtek_assaabloy
pinterest.com/emtekassaabloy

BX4-3PTPRICEBK2016
FEBRUARY 2016